

City Trends

Barnstable Town, MA	O3	4th Max	1	0.097	0.11	0.1	0.09	0.09	0.1	0.1	0.1	0.1	0.101	0.08	0.1	0.1	0.09	0.08	0.09	0.082	0.08	0.08	0.07
Baton Rouge, LA	CO	2nd Max	1	4.7	4.7	4.7	9	4.6	3.4	4.7	5.4	3.9	4.5	3.6	4.8	3.7	3.1	2.7	2.1	3.3	1.6	1.8	1.1
	NO2	Annual Mean	3	0.009	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.009	0.01	0	0	0.01	0.01	0.01	0.008	0.01	0.01	0.01
	O3	4th Max	5	0.099	0.09	0.08	0.08	0.08	0.1	0.09	0.09	0.1	0.089	0.09	0.1	0.1	0.09	0.08	0.09	0.088	0.08	0.07	0.07
	PM10	2nd Max	1	53	70	47	42	55	56	51	70	74	78	68	61	69	53	64	72	79	75	63	63
	PM25	Weighted Annual Mean	5										14.3	13.3	13	12	12	11.6	13.3	13.1	11.6	10.7	9.4
Bay City, MI	SO2	Annual Mean	1	0.005	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0.01	0.01	0.01	0.006	0.01	0	0
Beaumont-Port Arthur, TX	PM25	Weighted Annual Mean	1										11.5	11.5	12	11	10.9	9.8	12.4	10.2	10.2	8.9	8.1
	NO2	Annual Mean	2	0.009	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.01	0.01	0	0	0.01	0.01	0.01	0.008	0.01	0.01	0.01
	O3	4th Max	3	0.087	0.1	0.09	0.09	0.08	0.1	0.08	0.09	0.1	0.072	0.09	0.1	0.1	0.08	0.08	0.08	0.083	0.08	0.07	0.07
	SO2	Annual Mean	2	0.009	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.005	0	0	0	0	0	0	0.003	0	0	0
Beaver Dam, WI	PM25	Weighted Annual Mean	1										12.5	11.6	11	11	10.5	10.8	11.2	11.1	11.5	10.7	9.7
Beckley, WV	PM25	Weighted Annual Mean	1										14.4	13.7	14	13	12.3	12.4	13.9	12	13.2	10.7	9.2
Bellefontaine, OH	Pb	rqmax	3	0.89	0.4	0.24	0.3	0.21	0.2	0.13	0.15	0.2	0.15	0.17	0.1	0.1	0.17	0.21	0.18	0.18	0.18	0.1	0.07
Bellingham, WA	O3	4th Max	1	0.061	0.06	0.06	0.06	0.06	0.1	0.06	0.05	0.1	0.05	0.05	0.1	0.1	0.06	0.06	0.06	0.055	0.05	0.05	0.05
Bennington, VT	O3	4th Max	1	0.086	0.09	0.08	0.08	0.08	0.1	0.08	0.08	0.1	0.083	0.07	0.1	0.1	0.07	0.07	0.07	0.068	0.08	0.07	0.07
Billings, MT	PM25	Weighted Annual Mean	1										8	8.5	7.5	6.6	8	8.2	7.5	8.9	7.9	7	6.1
	SO2	Annual Mean	4	0.016	0.02	0.02	0.02	0.02	0	0.01	0.01	0	0.005	0	0	0	0	0	0	0.003	0	0	0
Birmingham-Hoover, AL	CO	2nd Max	2	6.8	7	7.5	7.3	6.7	6.6	5.3	6	4.4	4.7	4.1	5.6	3.9	3.2	3.4	2.8	3.2	2.2	2.3	2.7
	O3	4th Max	6	0.093	0.08	0.08	0.08	0.08	0.1	0.09	0.08	0.1	0.095	0.09	0.1	0.1	0.08	0.07	0.08	0.085	0.09	0.08	0.07
	PM10	2nd Max	4	69	76.3	56.3	61.5	51.5	54	45.8	61.8	49	59.8	93.5	69	47	48.3	51.8	55.5	49	57.3	42.3	36
	PM25	Weighted Annual Mean	8										18.9	18.1	16	15	14.4	14.5	16.2	15.5	15.7	12.5	10.3
	SO2	Annual Mean	1	0.008	0.01	0.01	0.01	0.01	0	0	0.01	0	0.009	0.01	0	0	0.01	0	0	0.003	0	0	0
Bishop, CA	PM25	Weighted Annual Mean	1										5.5	5.5	5.5	8.4	4.9	5.2	4.6	6.1	5.8	7.1	6.2
Bismarck, ND	PM25	Weighted Annual Mean	1										7.6	6.6	6.7	6.4	7.2	6.2	6.5	6.8	6.8	6.9	6.4
Boise City-Nampa, ID	PM10	2nd Max	1	54	152	76	74	91	77	62	66	41	60	53	67	90	42	55	45	56	47	47	47
	PM25	Weighted Annual Mean	2										9	9.2	10	9.7	7.4	9	8.9	7.9	7.8	7.5	7.5
Boston-Cambridge-Quincy, MA-NH	CO	2nd Max	2	6.7	5	5.1	4.6	5.1	5.7	3.9	3.3	3.3	3.9	2.8	2.5	1.9	2.2	1.5	1.7	1.5	1.4	1.6	1.3
	NO2	Annual Mean	1	0.03	0.03	0.03	0.03	0.04	0	0.03	0.03	0	0.03	0.03	0	0	0.03	0.03	0.02	0.023	0.02	0.02	0.02
	PM25	Weighted Annual Mean	6										12.7	12.8	13	12	11	11.2	11	9.6	10.3	9.8	8.7
	SO2	Annual Mean	4	0.01	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0.01	0	0	0.004	0	0	0
Boulder, CO	CO	2nd Max	1	6.6	7.2	6.6	6.4	6.2	4.7	5.5	5.4	4.7	3.7	3.1	3.5	3.2	3.3	3.2	2.4	1.8	1.9	2.7	1.6
	PM10	2nd Max	1	84	69	69	81	58	61	59	41	38	56	68	47	41	34	68	40	35	48	44	38
	PM25	Weighted Annual Mean	2										7.5	8.8	9.1	8.6	8.3	7.6	7.5	7.3	8.1	7.1	6.9
Bozeman, MT	PM25	Weighted Annual Mean	1										11.3	11.3	8.9	7.4	8.6	7.3	8.9	10.4	9.4	7.4	7.7
Bradenton-Sarasota-Venice, FL	CO	2nd Max	1	6.2	6.9	5.6	6.5	5.3	5.9	5.1	5.3	5.6	5	4.3	3.4	3.4	2.8	2.3	2.5	2.2	2.3	2.3	2.3
	O3	4th Max	2	0.075	0.07	0.07	0.08	0.08	0.1	0.08	0.08	0.1	0.084	0.08	0.1	0.1	0.08	0.08	0.08	0.077	0.07	0.07	0.06
	PM10	2nd Max	3	48.3	52	66	77	47.7	40	38.7	39	42	36.7	36	46	36	32	31	29.3	39.7	39.7	39.7	39.7
	PM25	Weighted Annual Mean	2										11.1	10.6	10	8.9	8.5	9	9	8.7	8.3	7.7	7.6
Bridgeport-Stamford-Norwalk, CT	CO	2nd Max	1	6.3	6	5.5	5.2	6.2	5.4	4.1	5.1	3.8	3.8	3	3.1	3.2	2.6	2.2	2.5	2.5	1.9	1.9	1.9
	O3	4th Max	3	0.106	0.11	0.09	0.1	0.1	0.1	0.09	0.1	0.1	0.103	0.09	0.1	0.1	0.1	0.08	0.09	0.093	0.09	0.08	0.07
	PM10	2nd Max	1	52	56	44	50	62	57	35	51	46	41	51	48	45	49	38	41	60	43	49	42
	PM25	Weighted Annual Mean	4										13.1	13.3	13	13	12.7	11.7	13.3	11.8	11.9	11.4	9.3
	SO2	Annual Mean	2	0.01	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.005	0	0	0	0	0	0.01	0.004	0	0	0
Brigham City, UT	PM25	Weighted Annual Mean	1										9.3	9.3	9.3	11	7.1	10.1	7.8	8	8.8	7.9	8.5
Brookings, SD	PM10	2nd Max	1	89	71	51	43	61	63	63	52	54	71	70	73	74	83	68	57	70	49	120	58
	PM25	Weighted Annual Mean	1										8.9	8.9	9.4	9.1	10.3	9.3	9.7	8.9	8.7	8	8.6
Brownsville-Harlingen, TX	PM10	2nd Max	1	51	63	55	66	49	49	38	59	62	59	58	35	48	43	32	32	50	49	49	49
Brunswick, GA	PM25	Weighted Annual Mean	1										14.4	14.4	12	11	11.7	12.4	12.8	11.6	12.1	9.9	9.7
Buffalo-Niagara Falls, NY	CO	2nd Max	1	3.5	3.8	6.1	4.4	4.2	3.1	3.7	3.3	3.1	2.2	2	1.9	1.8	2.4	1.4	1.6	1.7	1.1	1	1.1
	NO2	Annual Mean	2	0.02	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.019	0.02	0	0	0.02	0.02	0.02	0.013	0.01	0.01	0.01
	O3	4th Max	2	0.089	0.09	0.08	0.08	0.08	0.1	0.08	0.08	0.1	0.089	0.08	0.1	0.1	0.09	0.08	0.09	0.079	0.08	0.08	0.07
	PM25	Weighted Annual Mean	3										14.6	14.6	14	13	12.6	12.1	14.4	10.7	11.5	10.1	9.3
	SO2	Annual Mean	2	0.011	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.008	0.01	0	0	0.01	0.01	0	0.004	0	0	0
Burlington, NC	PM25	Weighted Annual Mean	1										16.4	15.6	14	14	13.7	13.9	14.6	13.5	13.1	12	9.6
Burlington-South Burlington, VT	O3	4th Max	1	0.072	0.08	0.09	0.08	0.08	0.1	0.07	0.07	0.1	0.079	0.07	0.1	0.1	0.07	0.07	0.07	0.065	0.08	0.07	0.06
	PM10	2nd Max	1	58	41	35	31	34	26	32	26	37	31	20	36	44	39.5	35	31	20	19	18	15
	PM25	Weighted Annual Mean	1										8.3	8.3	9.7	9.9	9.4	9.5	9.6	8.4	8.9	7.8	7.1
Butte-Silver Bow, MT	PM25	Weighted Annual Mean	1										7.3	13.5	7	6.8	9.7	8.5	10.3	10.8	12.8	10.1	9.8
Canton-Massillon, OH	O3	4th Max																					

City Trends

	PM10	2nd Max	1	91	79	79	74	78	77	60	72	83	86	73	68	77	76	77	85	55	76	79	49
	PM25	Weighted Annual Mean	3										17.7	17.7	17	16	15.5	14.4	15.8	13.6	14.1	12	11.2
Corning, NY	PM25	Weighted Annual Mean	1										9.1	9.1	10	10	9.5	8.9	9.8	8.2	8.1	8	6.9
Corpus Christi, TX	O3	4th Max	2	0.081	0.07	0.08	0.08	0.08	0.1	0.08	0.07	0.1	0.085	0.08	0.1	0.1	0.08	0.07	0.07	0.07	0.07	0.07	0.07
	PM25	Weighted Annual Mean	1										10.6	10.6	11	9.8	10.6	8.9	11	11	10.7	10.8	10
	SO2	Annual Mean	2	0.002	0	0	0	0	0	0	0	0	0.002	0	0	0	0	0	0	0.001	0	0	0
Culpeper, VA	PM10	2nd Max	1	40	40	40	52	40	51	37	43	39	40	39	38	40	33	38	36	41	36	33	26
Dallas-Fort Worth-Arlington, TX	CO	2nd Max	1	3.6	3.4	3.8	3.5	2.7	3.3	2.8	2.8	2.5	2.6	2.1	2	2.1	1.6	1.7	1.5	1.3	1.2	1.1	1
	NO2	Annual Mean	1	0.012	0.01	0.02	0.01	0.02	0	0.02	0.02	0	0.017	0.01	0	0	0.01	0.01	0.01	0.014	0.02	0.01	0.01
	O3	4th Max	3	0.095	0.1	0.09	0.09	0.1	0.1	0.09	0.1	0.1	0.103	0.1	0.1	0.1	0.09	0.09	0.1	0.093	0.08	0.08	0.08
	PM10	2nd Max	1	55	51	51	74	49	60	60	54	57	53	48	46	52	63	55	47	44	43.5	43	43
	PM25	Weighted Annual Mean	3										12.4	12.4	12	12	12.3	11.4	12	10.5	11.1	10	9.7
	Pb	rqmax	1	1.05	0.67	1.1	1.05	0.58	0.5	0.25	0.35	0.5	0.62	0.49	0.4	0.3	0.34	0.24	0.36	0.39	0.27	0.26	0.32
Daphne-Fairhope-Foley, AL	PM25	Weighted Annual Mean	1										14.5	14.5	11	10	12.2	11.4	11.7	11.2	10.4	9.9	9.9
Davenport-Moline-Rock Island, IA-IL	PM25	Weighted Annual Mean	3										12.6	12.5	13	12	12.3	10.6	13.2	10.4	12.5	11.2	10.2
	SO2	Annual Mean	1	0.006	0.01	0.01	0.01	0.01	0	0	0	0	0.004	0	0	0	0	0	0	0.001	0	0	0
Dayton, OH	CO	2nd Max	1	2.6	3	2.8	3.1	2.3	2.2	1.7	1.9	2.2	1.7	1.6	1.5	1.2	1.5	1.4	1.5	1.5	1.6	1	1.2
	O3	4th Max	1	0.074	0.09	0.07	0.08	0.09	0.1	0.09	0.09	0.1	0.085	0.07	0.1	0.1	0.07	0.07	0.08	0.072	0.07	0.07	0.07
	PM10	2nd Max	1	70	56	52	57	60	64	47	50	49	55	58	49	46	53	60	45	58	45	43	43
	PM25	Weighted Annual Mean	1										13.5	13.5	14	13	13.6	12.5	15.6	12.5	13.6	12	11.1
Decatur, AL	O3	4th Max	1	0.069	0.07	0.07	0.08	0.08	0.1	0.09	0.08	0.1	0.092	0.08	0.1	0.1	0.08	0.07	0.07	0.072	0.08	0.08	0.08
Decatur, IL	O3	4th Max	1	0.076	0.09	0.08	0.07	0.08	0.1	0.09	0.08	0.1	0.087	0.08	0.1	0.1	0.07	0.06	0.08	0.071	0.08	0.07	0.07
	PM25	Weighted Annual Mean	1										15	15	14	14	13.6	11.9	14.5	12.2	14	12	11
	SO2	Annual Mean	1	0.008	0.01	0	0.01	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0	0	0	0.003	0	0	0
Deltona-Daytona Beach-Ormond Beach, FL	O3	4th Max	2	0.073	0.07	0.07	0.07	0.07	0.1	0.07	0.07	0.1	0.075	0.08	0.1	0.1	0.07	0.07	0.07	0.071	0.07	0.06	0.06
	PM25	Weighted Annual Mean	1										11.4	10.5	10	8.8	8.5	9.7	9.2	9	9.8	9.8	9.8
Deming, NM	PM10	2nd Max	1	39	37	48	32	38	48	49	35	33	109	35	57	45	160	71	50	63	35	88	35
Denver-Aurora, CO	CO	2nd Max	2	9.3	8.2	10.8	7.7	7.3	7.3	5.6	4.9	4.1	4.3	4.2	3.7	3.2	3.8	3.5	2.4	2.8	2.5	2.8	2.1
	NO2	Annual Mean	1	0.024	0.02	0.02	0.02	0.03	0	0.02	0.02	0	0.02	0.02	0	0	0.02	0.02	0.02	0.019	0.02	0.02	0.02
	O3	4th Max	5	0.075	0.08	0.07	0.07	0.07	0.1	0.07	0.07	0.1	0.07	0.07	0.1	0.1	0.08	0.07	0.07	0.077	0.08	0.07	0.07
	PM10	2nd Max	2	74.5	87	136	99.5	78.5	55	61.5	58	60	53	50.5	68	66	82	67	54.5	70	61.5	51.5	51.5
	PM25	Weighted Annual Mean	3										10	10	11	9.7	9.9	9	9.1	8.7	9.6	8.2	7.4
	SO2	Annual Mean	2	0.006	0.01	0.01	0.01	0.01	0	0.01	0	0	0.004	0	0	0	0	0	0	0.003	0	0	0
Des Moines-West Des Moines, IA	PM25	Weighted Annual Mean	1										11.1	9.9	10	10	10.7	9.2	10.5	9.2	10.5	9.5	9.1
Detroit-Warren-Livonia, MI	CO	2nd Max	1	4.4	4.2	3.7	3.8	5.2	3.4	2.8	2.4	2.8	4.3	3.3	1.6	3.7	2.4	2.3	1.7	2.3	1.4	1.1	1.2
	NO2	Annual Mean	1	0.018	0.02	0.02	0.02	0.02	0	0.02	0.01	0	0.018	0.02	0	0	0.02	0.02	0.02	0.014	0.01	0.01	0.01
	O3	4th Max	6	0.083	0.09	0.08	0.08	0.09	0.1	0.09	0.08	0.1	0.091	0.08	0.1	0.1	0.09	0.07	0.08	0.075	0.09	0.07	0.07
	PM10	2nd Max	3	91.3	85	79.3	101	108	109	75.7	76.3	85	104.3	79.7	66	77	93	84.3	77	54.3	59.3	51.3	42
	PM25	Weighted Annual Mean	10										15.6	15.9	16	16	15.3	13.6	16	13	13.5	11.6	10.4
	Pb	rqmax	1	0.07	0.07	0.06	0.05	0.07	0.1	0.04	0.1	0.1	0.11	0.04	0.1	0	0.04	0.03	0.03	0.03	0.03	0.02	0.02
	SO2	Annual Mean	1	0.013	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.009	0.01	0	0	0.01	0.01	0.01	0.006	0.01	0.01	0
Dover, DE	PM25	Weighted Annual Mean	2										12.9	13.1	14	13	12.5	12.6	13.2	11.9	12.1	11.2	9.4
Duluth, MN-WI	CO	2nd Max	1	4.4	5.2	4	4.1	4.3	4.5	4.5	3.2	3.7	2.9	2.1	2.5	2.1	1.7	1.5	1.6	1.4	1.5	1.5	1.5
	PM10	2nd Max	2	51	47	38	34	39.5	43	49	42.5	63	59.5	48	40	44	52.5	54.5	43.5	44	48	42.5	39.5
	PM25	Weighted Annual Mean	3										7.9	7.9	7.6	7	7.2	5.9	6.8	6.8	6.4	6.7	6.5
Durango, CO	NO2	Annual Mean	1	0.004	0.01	0.01	0.01	0.01	0	0	0.01	0	0.004	0.01	0	0	0.01	0.01	0.01	0.005	0.01	0.01	0.01
Durham, NC	PM10	2nd Max	1	52	51	47	50	35	51	55	59	46	46	43	46	37	36	34	36	31	35	35	35
	PM25	Weighted Annual Mean	3										14.9	14.5	14	13	12.7	13.2	13	13	12.3	12.2	11.2
Dyersburg, TN	PM25	Weighted Annual Mean	1										14.1	14.1	12	12	12.1	10.6	13.9	11.8	12.1	10.4	9.7
Effingham, IL	O3	4th Max	1	0.078	0.09	0.08	0.07	0.08	0.1	0.08	0.08	0.1	0.092	0.07	0.1	0.1	0.07	0.07	0.07	0.067	0.08	0.06	0.07
El Centro, CA	O3	4th Max	1	0.071	0.08	0.09	0.1	0.1	0.1	0.1	0.1	0.1	0.081	0.08	0.1	0.1	0.09	0.08	0.09	0.091	0.08	0.07	0.08
	PM10	2nd Max	1	84	112	69	119	105	92	110	104	84	76	134	85	84	135	88	62	96	121	59	161
	PM25	Weighted Annual Mean	2										13.5	13.6	12	12	11.2	10.7	11.3	10.6	10.7	9.1	9.1
El Dorado, AR	SO2	Annual Mean	1	0.005	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.005	0	0	0	0	0	0	0.003	0	0	0
El Paso, TX	CO	2nd Max	4	8.5	8.4	7.2	7.2	6.1	5.9	7	5.7	6	4.4	4.9	5	3.7	3.5	2.6	3.1	2.5	2.4	2.3	2.1
	NO2	Annual Mean	1	0.017	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.017	0.02	0	0	0.02	0.02	0.02	0.016	0.02	0.02	0.01
	O3	4th Max	2	0.08	0.07	0.08	0.07	0.08	0.1	0.08	0.07	0.1	0.069	0.08	0.1	0.1	0.08	0.07	0.08	0.081	0.08	0.08	0.07
	PM10	2nd Max	3	112	76.3	100	66.3	106	94	101	94	60	116	81.7	108	156	160	76.3	66	79.3	69.3	57.3	50
	PM25	Weighted Annual Mean	2										11.8	11.8	12	14	14.9</						

City Trends

	O3	4th Max	1	0.07	0.08	0.08	0.09	0.07	0.1	0.09	0.08	0.1	0.094	0.08	0.1	0.1	0.08	0.07	0.08	0.081	0.08	0.08	0.07
	PM25	Weighted Annual Mean	1										16.3	16.3	15	14	14.1	14.6	15	15	14	12.1	10.5
	Pb	rqmax	2	0.04	0.05	0.03	0.03	0.02	0	0.01	0.01	0	0.01	0.02	0	0	0.01	0.01	0.01	0.01	0	0	0
	SO2	Annual Mean	1	0.002	0	0	0	0	0	0	0	0	0.003	0	0	0	0	0	0	0.002	0	0	0
Greenwood, SC	PM25	Weighted Annual Mean	1										15.5	15.5	14	13	12.6	13.4	14.1	13.6	12.9	12.9	12.9
Guayama, PR	PM10	2nd Max	1	64	72	57	73	86	68	62	134	78	74	77	82	70	85	74	88	116	80	66	58
	PM25	Weighted Annual Mean	1										7.9	7.1	7.2	6.2	5.9	5.4	6.3	6.4	6.5	5.4	5.1
Gulfport-Biloxi, MS	PM25	Weighted Annual Mean	1										12.8	12.8	12	11	12	12.2	12.4	11.9	11.2	9.8	9
Hagerstown-Martinsburg, MD-WV	PM25	Weighted Annual Mean	2										15.8	15.8	15	16	14.6	15	15.9	13.4	14.2	13	10.9
Hammond, LA	PM25	Weighted Annual Mean	1										14.5	14	12	10	10.8	10.5	13.4	12.6	11.3	10	8.4
Hanford-Corcoran, CA	PM25	Weighted Annual Mean	1										16.4	16.4	19	22	16.2	17.4	17.5	16.9	18.4	16.2	15.8
Harriman, TN	PM25	Weighted Annual Mean	1										18.4	16.9	16	14	13.3	14	15.4	14.1	14.9	12.9	10.8
Harrisburg-Carlisle, PA	NO2	Annual Mean	2	0.013	0.01	0.01	0.01	0.02	0	0.02	0.01	0	0.012	0.01	0	0	0.01	0.01	0.01	0.009	0.01	0.01	0.01
	O3	4th Max	3	0.091	0.1	0.08	0.09	0.09	0.1	0.08	0.09	0.1	0.096	0.08	0.1	0.1	0.08	0.07	0.08	0.078	0.08	0.08	0.06
	PM25	Weighted Annual Mean	1										14.4	15.7	17	15	16.2	15.7	15.5	13.9	14.3	13.2	13.2
	SO2	Annual Mean	2	0.005	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.004	0	0	0	0	0	0	0.003	0	0	0
Hartford-West Hartford-East Hartford, CT	CO	2nd Max	1	8.6	8.9	7.7	7.2	7.9	7	6.5	5.9	7.1	5.5	7.3	4.5	5.1	5.2	5.7	4.4	4	3.3	3.1	2.5
	NO2	Annual Mean	1	0.019	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.018	0.02	0	0	0.02	0.02	0.02	0.013	0.01	0.01	0.01
	O3	4th Max	3	0.103	0.11	0.09	0.1	0.1	0.1	0.08	0.1	0.1	0.097	0.08	0.1	0.1	0.08	0.08	0.09	0.088	0.09	0.08	0.07
	PM25	Weighted Annual Mean	1										10.8	10.7	12	12	11.7	10.9	11.5	10.7	10	9.6	8.1
Hattiesburg, MS	PM25	Weighted Annual Mean	1										14.9	14.9	14	13	13.6	12.7	13.8	14	14.2	13	11.1
Helena, MT	PM25	Weighted Annual Mean	1										6.3	10.5	8.7	6.5	7.2	7.9	8.5	7.6	9.2	7.1	7.1
Helena-West Helena, AR	PM25	Weighted Annual Mean	1										14.7	14.7	13	11	12.2	10.6	13.7	10.9	12.6	11.1	9.7
Hickory-Lenoir-Morganton, NC	O3	4th Max	1	0.075	0.08	0.08	0.08	0.08	0.1	0.08	0.08	0.1	0.094	0.09	0.1	0.1	0.08	0.07	0.08	0.076	0.08	0.07	0.06
	PM25	Weighted Annual Mean	1										17.4	17.9	16	15	15	15.9	15.2	14.6	12.8	10.3	
Holland-Grand Haven, MI	O3	4th Max	1	0.101	0.1	0.08	0.08	0.09	0.1	0.08	0.09	0.1	0.091	0.08	0.1	0.1	0.09	0.07	0.09	0.083	0.09	0.07	0.07
	PM25	Weighted Annual Mean	1										12.9	13.2	14	14	12.7	11.3	14	12	11.7	10.8	9.2
Homosassa Springs, FL	PM25	Weighted Annual Mean	1										11.4	10.4	9.8	8.6	8.7	9.2	9	9	8.5	7.7	6.9
Honolulu, HI	CO	2nd Max	2	1.7	1.6	1.9	2	1.9	1.6	1.3	1.4	1.5	1.2	1.4	1.5	1.6	1.1	1	1.1	1	0.8	0.9	1.1
	O3	4th Max	1	0.034	0.04	0.05	0.05	0.05	0.1	0.04	0.05	0	0.048	0.04	0	0	0.04	0.05	0.04	0.04	0.03	0.04	0.05
	PM10	2nd Max	2	54	54	54	42	51.5	52	27	22.5	29	32	80	69	44	53	44	32	40.5	43	37.5	39
	PM25	Weighted Annual Mean	1										4.9	5	4.5	5.2	4.4	4.1	4	3.9	3.6	4.5	4.5
	SO2	Annual Mean	3	0.002	0	0	0	0	0	0	0	0	0.001	0	0	0	0	0	0	0.002	0	0	0
Houma-Bayou Cane-Thibodaux, LA	PM25	Weighted Annual Mean	1										12.4	12.4	11	9.3	10.9	9.7	11.2	11.6	9.6	8.6	8.3
Houston-Sugar Land-Baytown, TX	CO	2nd Max	3	6.4	6.4	7.3	5.6	4.8	4.3	5.6	4.5	4	3.6	3.5	3.6	3	3.3	2.4	2.2	2.1	1.8	1.8	1.4
	NO2	Annual Mean	3	0.021	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.02	0.02	0	0	0.02	0.02	0.02	0.015	0.02	0.01	0.01
	O3	4th Max	7	0.119	0.1	0.1	0.1	0.1	0.1	0.1	0.11	0.1	0.104	0.1	0.1	0.1	0.1	0.09	0.09	0.086	0.08	0.07	0.08
	PM10	2nd Max	4	62.3	66.3	63.8	73	64.5	69	49.3	91.5	83	61.8	63.8	56	63	61.8	61.8	65.8	84.3	83	69.3	60.8
	PM25	Weighted Annual Mean	3										13.1	13.1	13	13	13.8	13.1	14.2	13	13.2	12.2	11.7
	SO2	Annual Mean	4	0.006	0.01	0.01	0	0	0	0	0	0	0.003	0	0	0	0	0	0	0	0.003	0	0
Huntington-Ashland, WV-KY-OH	O3	4th Max	3	0.093	0.1	0.08	0.09	0.09	0.1	0.08	0.08	0.1	0.094	0.08	0.1	0.1	0.08	0.07	0.08	0.077	0.08	0.08	0.06
	PM10	2nd Max	2	67.5	60.5	61.5	61	64.5	68	69.5	77.5	71	62.5	56.5	51	53	47	52.5	59	54.5	66	62.5	43.5
	PM25	Weighted Annual Mean	2										16.7	16.8	17	16	14.7	14.2	17.1	14.4	15.5	13.1	11.5
	SO2	Annual Mean	2	0.008	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0	0.01	0	0.004	0	0.01	0
Huntsville, AL	O3	4th Max	1	0.079	0.08	0.09	0.09	0.08	0.1	0.08	0.09	0.1	0.093	0.09	0.1	0.1	0.08	0.08	0.08	0.079	0.08	0.07	0.07
	PM10	2nd Max	3	58	64.3	48	53	49.5	50	44.7	45	46	44.7	56.7	40	41	43	40.7	43.3	39	50	33	25.7
	PM25	Weighted Annual Mean	1										15.6	16.3	15	14	13.8	13.4	14.4	13.3	14.3	12.2	10
Indianapolis-Carmel, IN	CO	2nd Max	2	4	5.2	3.5	4	3.5	3.9	2.8	3.2	2.7	2.4	3.3	2.4	3.3	2.5	2	2.1	2.1	2.8	1.9	1.9
	NO2	Annual Mean	1	0.018	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.018	0.02	0	0	0.02	0.02	0.02	0.015	0.01	0.01	0.01
	O3	4th Max	5	0.085	0.09	0.08	0.08	0.09	0.1	0.1	0.09	0.1	0.094	0.08	0.1	0.1	0.08	0.07	0.08	0.075	0.08	0.07	0.07
	PM10	2nd Max	5	78.8	68.2	67.8	69.4	69.4	64	52	46.4	52	47.2	47.2	45	39	45.8	44.6	50.4	43.2	48.8	43.8	43.8
	PM25	Weighted Annual Mean	5										17.4	17.6	17	17	16.5	15.3	18.1	14.6	16.5	13.6	12.9
	Pb	rqmax	2	0.57	0.49	0.41	0.18	0.17	0.1	0.06	0.07	0.1	0.1	0.13	0.1	0	0.04	0.05	0.03	0.03	0.04	0.04	0.02
	SO2	Annual Mean	3	0.009	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0.01	0	0.006	0	0	0	0
Iowa City, IA	PM25	Weighted Annual Mean	1										12.3	10.9	12	11	11.8	11	13.6	11	12.2	10.7	10.6
Iron Mountain, MI-WI	O3	4th Max	1	0.068	0.08	0.07	0.06	0.07	0.1	0.06	0.06	0.1	0.086	0.07	0.1	0.1	0.07	0.06	0.07	0.065	0.07	0.06	0.06
Jackson, MS	O3	4th Max	1	0.079	0.07	0.07	0.07	0.07	0.1	0.08	0.08	0.1	0.082	0.08	0.1	0.1	0.07	0.07	0.07	0.078	0.07	0.07	0.06
	PM25	Weighted Annual Mean	1										16.5	15.2	13	12	13.8	12.2	13.1	12.1	12.8	12	10.7
Jacksonville, FL	CO	2nd Max	3	4.1	3.8	3.9	4.4	3.7	3.7	3.1	2.5	3	3.6	2.8	2.7	2.3	2.2	2.1	2	1.4	1.6	1.3	1.1
	NO																						

City Trends

Jasper, IN	SO2	Annual Mean	1	0.007	0.01	0.01	0.01	0.01	0	0.01	0	0	0.005	0.01	0	0	0	0	0.003	0	0	0		
	PM10	2nd Max	1	79	69	56	60	53	63	52	49	51	54	62	44	37	43	41	55	34	48	35	36	
	PM25	Weighted Annual Mean	1										17.2	17.2	17	16	15.7	14.4	16.9	13.5	14.4	12.9	12.5	
Johnstown, PA	CO	2nd Max	1	3.7	4.8	4.4	4.2	4.1	3.5	4.8	2.7	3.1	2.8	2	2.1	2.6	2.2	2.1	1.2	1.5	1.9	1.6	1.4	
	NO2	Annual Mean	1	0.018	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.015	0.02	0	0	0.01	0.01	0.01	0.01	0.012	0.01	0.01	0.01
	O3	4th Max	1	0.08	0.1	0.07	0.08	0.08	0.1	0.08	0.09	0.1	0.09	0.09	0.1	0.1	0.08	0.07	0.08	0.073	0.07	0.07	0.06	0.06
Juneau, AK	PM25	Weighted Annual Mean	1									14.8	15.3	16	16	15.5	14.4	16.8	14.8	14.4	13.9	11.9		
	SO2	Annual Mean	1	0.014	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.009	0.01	0	0	0.01	0.01	0.01	0.008	0.01	0.01	0	
	PM10	2nd Max	1	101	327	207	79	59	76	79	63	40	27	27	28	29	22	31	35	27	21	28	24	
Kahului-Wailuku, HI	PM25	Weighted Annual Mean	1									6.6	6.6	5.6	6.2	6.4	6.6	8.1	8.5	6.6	7.1	7.5		
	PM25	Weighted Annual Mean	1									5.7	4.8	4.9	4.7	5.5	4.7	4.4	4.6	5	5	5		
	PM25	Weighted Annual Mean	1									14.9	15.1	16	15	13.9	11.3	13.8	12.6	12.6	11.2	10.1		
Kalamazoo-Portage, MI	O3	4th Max	1	0.053	0.06	0.05	0.05	0.06	0.1	0.06	0.05	0.1	0.058	0.06	0	0.1	0.06	0.05	0.06	0.059	0.05	0.06	0.06	
	PM25	Weighted Annual Mean	1									9	9	8.3	7.7	11.4	8.6	8.4	8.3	9.7	7.7	7.7		
	NO2	Annual Mean	1	0.009	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.009	0.01	0	0	0.01	0.01	0.01	0.007	0.01	0.01	0.01	
Kansas City, MO-KS	O3	4th Max	2	0.075	0.09	0.08	0.08	0.09	0.1	0.09	0.1	0.1	0.083	0.09	0.1	0.1	0.09	0.07	0.08	0.092	0.08	0.07	0.07	
	PM10	2nd Max	2	81	67	71.5	78	65.5	68	75	45.5	57	72.5	59.5	54	56	52.5	43	59	60.5	57	76.5	40.5	
	PM25	Weighted Annual Mean	6									11.8	11.4	12	12	11.8	10.1	12.1	10.4	10.7	9.8	9.3		
Keene, NH	SO2	Annual Mean	1	0.003	0.01	0	0	0	0	0	0	0	0.002	0	0	0.01	0.01	0.01	0.005	0	0.01	0.01		
	O3	4th Max	1	0.074	0.08	0.08	0.08	0.08	0.1	0.08	0.08	0.1	0.079	0.06	0.1	0.1	0.07	0.07	0.07	0.067	0.07	0.07	0.06	
	PM25	Weighted Annual Mean	1									11.6	11.6	12	12	12	10.9	12	11.7	10.8	10.4	10.1		
Kingsport-Bristol-Bristol, TN-VA	CO	2nd Max	1	3.4	3.3	3	6.5	3.4	3.1	3	3.5	3.4	2.8	2.2	2.1	1.9	2.2	2.1	1.3	1.3	1.2	1	1	
	NO2	Annual Mean	1	0.019	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.016	0.02	0	0	0.02	0.01	0.01	0.012	0.01	0.01	0.01	
	O3	4th Max	1	0.1	0.08	0.08	0.09	0.08	0.1	0.08	0.08	0.1	0.086	0.09	0.1	0.1	0.08	0.08	0.08	0.081	0.09	0.07	0.07	
Kingston, NY	PM25	Weighted Annual Mean	2									16.7	16.9	16	14	13.8	13.5	14.7	13.7	14.2	11	9.6		
	SO2	Annual Mean	3	0.009	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.009	0.01	0	0	0.01	0.01	0.01	0.005	0	0.01	0	
	O3	4th Max	1	0.094	0.09	0.09	0.09	0.08	0.1	0.08	0.09	0.1	0.082	0.08	0.1	0.1	0.08	0.08	0.08	0.076	0.07	0.07	0.07	
Kinston, NC	SO2	Annual Mean	1	0.004	0	0	0	0	0	0	0	0	0.002	0	0	0	0	0	0	0.002	0	0	0	
	PM25	Weighted Annual Mean	1									12.2	12.7	12	12	10.9	11.2	11.8	10.5	10.4	10.4	8.5		
	PM10	2nd Max	1	236	225	115	128	104	66	86	82	80	81	92	61	160	63	70	75	56	71	76	75	
Klamath Falls, OR	PM25	Weighted Annual Mean	1									10.7	9.6	8.9	17	10	11.3	11.7	11.1	10.8	13	11.8		
	O3	4th Max	4	0.093	0.08	0.08	0.09	0.09	0.1	0.09	0.09	0.1	0.099	0.1	0.1	0.09	0.08	0.08	0.082	0.09	0.08	0.07		
	PM10	2nd Max	4	63	61.8	54.3	60	59	60	69.5	56.8	49	51.3	64.3	52	46	49.5	45.5	45.8	46.5	49.3	38.5	28.5	
Kokomo, IN	PM25	Weighted Annual Mean	4									18.9	18.1	17	16	14.5	14.4	15.6	15.1	15.4	12.8	10.9		
	SO2	Annual Mean	2	0.007	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0.01	0.01	0.01	0.008	0.01	0.01	0.01	
	PM25	Weighted Annual Mean	1									15.6	15.6	15	15	14.3	12.7	15.9	12.2	13.5	11.6	11		
Lafayette, LA	PM25	Weighted Annual Mean	1									13.2	13.2	11	10	11.2	10.5	11.8	10.8	10.4	9.2	8.5		
	O3	4th Max	1	0.085	0.09	0.07	0.08	0.08	0.1	0.08	0.09	0.1	0.073	0.08	0.1	0.1	0.08	0.08	0.09	0.08	0.08	0.07	0.08	
	PM25	Weighted Annual Mean	2									12.7	12.8	11	10	10.7	9.8	11.7	11.2	9.6	9	8.4		
Lakeland, FL	O3	4th Max	1	0.066	0.07	0.07	0.08	0.07	0.1	0.07	0.08	0.1	0.078	0.08	0.1	0.1	0.07	0.07	0.07	0.076	0.08	0.07	0.07	
	PM25	Weighted Annual Mean	1									11	12.2	11	10	9.2	10.2	9.6	9.2	9.3	8.1	7.2		
	CO	2nd Max	1	3.4	2.6	2.6	3	3.8	2.4	2.6	3.3	1.9	2.1	1.9	2.2	2.2	1.7	1.6	1.5	1.3	1.3	1.5	1.5	
Lancaster, PA	NO2	Annual Mean	1	0.017	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.015	0.01	0	0	0.02	0.01	0.01	0.013	0.01	0.01	0.01	
	O3	4th Max	1	0.087	0.1	0.09	0.1	0.09	0.1	0.09	0.1	0.1	0.102	0.09	0.1	0.1	0.08	0.08	0.09	0.085	0.08	0.08	0.07	
	PM25	Weighted Annual Mean	1									15.6	18.2	17	16	17.6	16.6	18.2	14.1	15.4	13.9	12.2		
Lansing-East Lansing, MI	SO2	Annual Mean	1	0.006	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.005	0.01	0	0	0	0.01	0.01	0.005	0	0	0	
	O3	4th Max	2	0.08	0.08	0.08	0.08	0.08	0.1	0.08	0.08	0.1	0.088	0.08	0.1	0.1	0.09	0.07	0.08	0.071	0.08	0.07	0.07	
	PM25	Weighted Annual Mean	1									12.6	13.1	14	14	13	11.1	13.5	11.5	11.5	9.8	9.1		
Laramie, WY	PM10	2nd Max	1	54	54	65	80	54	53	55	53	42	50	64	76	46	45	64	47	33	47	68	57	
	O3	4th Max	2	0.074	0.07	0.08	0.08	0.08	0.1	0.08	0.07	0.1	0.078	0.08	0.1	0.1	0.08	0.07	0.07	0.073	0.07	0.07	0.06	
	PM10	2nd Max	2	157.5	103	107	94.5	114	102	96.5	83	70	104	79.5	82	111	219	101	77	151.5	109	86	96.5	
Las Vegas-Paradise, NV	PM25	Weighted Annual Mean	2									8.7	8.4	8.6	9.4	9.1	8.2	7.9	8	8.1	9.1	8		
	O3	4th Max	2	0.074	0.07	0.08	0.08	0.08	0.1	0.08	0.08	0.1	0.077	0.08	0.1	0.1	0.08	0.08	0.08	0.077	0.08	0.08	0.07	
	PM25	Weighted Annual Mean	2									7.3	6.7	7	6.8	6.6	6.1	6	5.8	6.4	6.7	5.8		
Laurel, MS	PM25	Weighted Annual Mean	1									17	17	14	14	15.1	13.4	14.8	14.3	14.7	13.1	11.3		
	PM25	Weighted Annual Mean	1									14.1	13.3	13	12	11.7	10.6	12.1	11.7	12.6	9.7	7.9		
	PM25	Weighted Annual Mean	1									10	9.6	11	11	11.4	10.3	10.2	8.9	8.8	8.6	7.6		
Lawrenceburg, TN	PM10	2nd Max	1	65	65	65	100	79	100	99	77	87	116	125	73	104	113	75	105	82	59	53	65	
	NO2	Annual Mean	1	0.017	0.02	0.02	0.02	0.02	0	0.01	0.01	0	0.013	0.01	0	0	0.01	0.01	0.01	0.012	0.01	0.01	0.01	
	O3	4th Max	3	0.078	0.07	0.07	0.08	0.09	0.1	0.08	0.08	0.1	0.087	0.07</										

City Trends

Owensboro, KY	NO2	Annual Mean	1	0.011	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.011	0.01	0	0	0.01	0.01	0.01	0.006	0.01	0.01	0.01
	O3	4th Max	2	0.095	0.08	0.08	0.08	0.09	0.1	0.09	0.09	0.1	0.092	0.08	0.1	0.1	0.07	0.07	0.08	0.076	0.08	0.07	0.07
	SO2	Annual Mean	1	0.009	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.006	0	0	0	0	0.01	0.004	0.01	0	0	0
Oxnard-Thousand Oaks-Ventura, CA	NO2	Annual Mean	2	0.021	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.018	0.02	0	0	0.01	0.01	0.01	0.011	0.01	0.01	0.01
	O3	4th Max	4	0.094	0.11	0.1	0.09	0.09	0.1	0.1	0.09	0.1	0.079	0.08	0.1	0.1	0.08	0.08	0.07	0.072	0.07	0.08	0.07
	PM10	2nd Max	2	89	68.5	67	61	53	63	47.5	94.5	49	55	57	57	63	103	48	48.5	68	60.5	56.5	66
Paducah, KY-IL	PM25	Weighted Annual Mean	4									12.7	13.5	14	13	12.2	11.3	10.4	9.8	10.7	10.2	10.2	
	NO2	Annual Mean	1	0.016	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.011	0.01	0	0	0.01	0.01	0.01	0.009	0.01	0.01	0.01
	O3	4th Max	2	0.082	0.08	0.08	0.08	0.09	0.1	0.08	0.09	0.1	0.097	0.08	0.1	0.1	0.08	0.07	0.08	0.073	0.08	0.07	0.07
Palatka, FL	PM10	2nd Max	1	93	93	50	56	102	60	61	57	53	58	56	36	38	38	30	47	38	39	40	33
	PM25	Weighted Annual Mean	1									15.7	15.5	14	13	13.8	11.8	14	13.6	14.1	11.8	11.5	
	SO2	Annual Mean	1	0.006	0.01	0.01	0.01	0.01	0	0.01	0	0	0.005	0	0	0	0	0	0.01	0.004	0	0	0
Palm Bay-Melbourne-Titusville, FL	SO2	Annual Mean	1	0.004	0	0	0	0	0	0	0	0.003	0	0	0	0	0	0	0.002	0	0	0	0
	O3	4th Max	1	0.076	0.07	0.08	0.07	0.08	0.1	0.07	0.08	0.1	0.077	0.08	0.1	0.1	0.07	0.07	0.07	0.077	0.07	0.07	0.06
	PM25	Weighted Annual Mean	1									8.6	8.6	8.6	7.6	7.5	8.6	8.3	9	7.3	7.4	6.5	
Parkersburg-Marietta-Vienna, WV-OH	O3	4th Max	2	0.084	0.1	0.08	0.09	0.1	0.1	0.09	0.09	0.1	0.096	0.09	0.1	0.1	0.08	0.07	0.09	0.081	0.09	0.08	0.06
	PM25	Weighted Annual Mean	1									17.7	17.8	17	16	14.9	14.9	16.4	14.7	15.3	13.8	12	
	SO2	Annual Mean	1	0.014	0.01	0.01	0.01	0.02	0	0.01	0.01	0	0.013	0.01	0	0	0.01	0.01	0.01	0.008	0.01	0.01	0.01
Pascagoula, MS	PM25	Weighted Annual Mean	1									15.9	13.4	12	11	11.9	12.1	12.2	11.8	11.1	10	9.3	
	PM10	2nd Max	2	60	68.5	69.5	72.5	77	108	66	67	64	65.5	62	53	55	73.5	48	54.5	64.5	55.5	53	53
	PM10	2nd Max	1	143	143	103	129	80	72	60	65	68	106	45	45	49	53	47	36	59	48	36	40
Pendleton-Hermiston, OR	O3	4th Max	2	0.088	0.08	0.09	0.08	0.09	0.1	0.08	0.09	0.1	0.084	0.09	0.1	0.1	0.08	0.08	0.08	0.083	0.08	0.07	0.07
	PM25	Weighted Annual Mean	1									14.8	13.9	11	11	11.2	12.2	12	11.6	10.8	9.4	8.4	
	SO2	Annual Mean	1	0.008	0.01	0.01	0.01	0	0	0	0	0	0.004	0	0	0	0	0	0.003	0	0	0	0
Peoria, IL	CO	2nd Max	1	7.4	6.3	7.2	7.3	5.7	5.6	4.6	4.7	5.8	4.6	3.4	3.5	3.1	2.9	3	3.1	2.7	2	2.1	2
	O3	4th Max	2	0.071	0.08	0.08	0.06	0.08	0.1	0.08	0.07	0.1	0.082	0.07	0.1	0.1	0.07	0.06	0.08	0.069	0.08	0.06	0.06
	PM10	2nd Max	1	72	48	54	39	45	42	43	56	52	52	54	51	41	55	42	75	45	51	40	28
Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	PM25	Weighted Annual Mean	1									16	14.8	14	14	13.7	12.8	14.5	12.1	13	11.1	10.7	
	Pb	rqmax	1	0.04	0.03	0.03	0.03	0.02	0	0.02	0.02	0	0.02	0.02	0	0	0.02	0.01	0.03	0.01	0.01	0.01	0.01
	SO2	Annual Mean	2	0.007	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0	0	0.004	0	0	0	0
Phoenix-Mesa-Scottsdale, AZ	CO	2nd Max	7	4.8	4.5	4.6	4.5	5.2	3.9	4	3.3	3	3.2	3	2.8	2.1	2	2.3	2	1.6	2.1	2	2
	NO2	Annual Mean	6	0.024	0.02	0.02	0.02	0.03	0	0.03	0.02	0	0.022	0.02	0	0	0.02	0.02	0.02	0.018	0.02	0.02	0.02
	O3	4th Max	10	0.102	0.11	0.09	0.1	0.09	0.1	0.09	0.11	0.1	0.102	0.1	0.1	0.1	0.09	0.08	0.09	0.084	0.09	0.08	0.07
Pittsburgh, PA	PM10	2nd Max	2	61.5	69.5	53.5	68.5	73	60	60	64.5	52	49.5	54	60	54	55.5	51.5	53	48	41.5	44.5	41.5
	PM25	Weighted Annual Mean	12									14.3	15.1	15	15	14.4	13.7	14.2	12.9	13.4	12.5	10.7	
	Pb	rqmax	1	3.07	2.66	3.18	7.98	2.61	4.6	7.69	6.27	1.9	1.86	1.25	0.7	0	0.04	0.03	0.02	0.03	0.04	0.04	0.03
Phoenix-Mesa-Scottsdale, AZ	SO2	Annual Mean	9	0.009	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0.01	0	0.01	0.005	0	0	0
	CO	2nd Max	7	6.8	6.3	6.7	6.2	6.7	6.3	5.7	5.2	5.4	5.2	4.5	4	3.8	3.3	3	3.2	2.8	2.5	1.9	2
	NO2	Annual Mean	1	0.021	0.02	0.01	0.02	0.02	0	0.03	0.03	0	0.031	0.03	0	0	0.03	0.02	0.02	0.024	0.02	0.02	0.02
Pittsburgh, PA	O3	4th Max	6	0.08	0.07	0.08	0.08	0.08	0.1	0.08	0.08	0.1	0.082	0.08	0.1	0.1	0.08	0.07	0.08	0.08	0.07	0.08	0.07
	PM10	2nd Max	5	83.2	79.6	68.8	69.6	66.4	71	71	101	67	75.6	107	63	80	126	48.4	76	77.8	79.2	60	81.4
	PM25	Weighted Annual Mean	4									10	9.5	8.5	9.8	9.2	8.5	8.9	9.2	9.4	9.4	8.8	
Pittsburgh, PA	SO2	Annual Mean	1	0.003	0.01	0	0	0	0	0	0	0	0.003	0	0	0	0	0	0.002	0	0	0	0
	CO	2nd Max	3	5	3.7	4	3.1	4.2	3.7	3	2.4	2.4	2.3	1.8	2	1.8	1.5	1.6	1.6	1.5	1.8	1.3	1.2
	NO2	Annual Mean	4	0.021	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.019	0.02	0	0	0.02	0.01	0.02	0.014	0.01	0.01	0.01
Pittsfield, MA	O3	4th Max	7	0.08	0.09	0.07	0.09	0.09	0.1	0.09	0.09	0.1	0.092	0.08	0.1	0.1	0.09	0.07	0.08	0.076	0.08	0.08	0.07
	PM10	2nd Max	9	93.4	88.3	86.4	85.3	87.7	83	69.1	71.9	67	65.1	58.7	65	65	61.8	62.8	67.4	54.8	57.1	53.9	49.2
	PM25	Weighted Annual Mean	11									15.9	16.1	17	16	15.6	15	16.6	14.2	15.4	13.1	12.2	
Platteville, WI	Pb	rqmax	2	0.16	0.12	0.1	0.09	0.12	0.1	0.05	0.06	0.1	0.06	0.05	0	0.1	0.06	0.05	0.1	0.11	0.06	0.1	0.06
	SO2	Annual Mean	9	0.016	0.02	0.01	0.01	0.01	0	0.01	0.01	0	0.01	0.01	0	0	0.01	0.01	0.01	0.007	0.01	0.01	0.01
	O3	4th Max	1	0.092	0.09	0.09	0.08	0.07	0.1	0.08	0.08	0.1	0.075	0.07	0.1	0.1	0.08	0.07	0.09	0.076	0.08	0.07	0.07
Pocatello, ID	PM25	Weighted Annual Mean	1									12.8	11.8	13	12	11.1	10.5	11.8	9	10.1	9.9	8.7	
	PM10	2nd Max	1	109	109	69	147	114	91	86	61	87	168	93	78	64	53	56	58	53	51	50	41
	SO2	Annual Mean	1	0.01	0.01	0.01	0	0	0	0	0	0	0.004	0.01	0	0	0	0	0.003	0	0	0	0
Ponca City, OK	PM25	Weighted Annual Mean	1									8.6	7.7	7.6	7.5	7.3	6.5	7.6	7	6.3	5.6	5.6	
	PM25	Weighted Annual Mean	1									9.6	10.1	9	8	8.3	7.3	8.9	8.9	7.7	7.6	7.4	
	O3	4th Max	2	0.099	0.11	0.1	0.09	0.09	0.1	0.08	0.1	0.1	0.083	0.07	0.1	0.1	0.08	0.07	0.07	0.074	0.08	0.07	0.07
Port St. Lucie, FL	CO	2nd Max	2	6.8	8.7	6	6.2	6.6	5.5	5.2	4.2	3.9	5.3	3.7	3.4	3.1	3.2	3.5	2.4	5.1	2.6	2.3	2.2
	O3	4th Max	3	0.081	0.06	0.07	0.06	0.07	0.1	0.09	0.06	0.1	0.0										

City Trends

Providence-New Bedford-Fall River, RI-MA	Pb	rqmax	2	1.2	0.7	0.69	0.41	0.09	0.1	0.07	0.21	0.1	0.21	0.12	0.2	0.1	0.12	0.16	0.11	0.06	0.07	0.06	
	CO	2nd Max	1	7.3	7.4	6.3	5.4	6.7	7	4.4	5.6	4.7	3.9	3.5	3.8	2.7	2.3	2.5	2.5	2.5	2.5	2.5	2.5
	O3	4th Max	2	0.103	0.11	0.09	0.08	0.08	0.1	0.09	0.1	0.1	0.095	0.09	0.1	0.1	0.09	0.08	0.09	0.082	0.08	0.08	0.07
	PM25	Weighted Annual Mean	2										10.6	10.6	12	11	11	10.7	10.4	9.8	9.4	9.1	8
Provo-Orem, UT	SO2	Annual Mean	1	0.008	0.01	0.01	0.01	0.01	0	0	0.01	0	0.004	0	0	0	0	0.01	0.005	0	0	0	0
	CO	2nd Max	1	10	7.4	7.6	5.5	5.7	4	5.6	4.3	4.1	4.2	3.4	3.7	3.1	2.6	2.5	2.1	2.1	2.5	1.8	2.5
	NO2	Annual Mean	1	0.019	0.02	0.02	0.03	0.02	0	0.02	0.02	0	0.024	0.02	0	0	0.02	0.02	0.02	0.02	0.02	0.02	0.02
	O3	4th Max	1	0.07	0.07	0.07	0.07	0.07	0.1	0.08	0.07	0.1	0.073	0.08	0.1	0.1	0.08	0.07	0.08	0.074	0.08	0.07	0.07
Pueblo, CO	PM10	2nd Max	2	117	210	191	194	97.5	93	125	105	69	82	77.5	97	92	87.5	93	68.5	80.5	102	134	121
	PM25	Weighted Annual Mean	4										9.2	9.4	11	10	8.1	11.3	9	8.7	11	8.9	9.5
	PM25	Weighted Annual Mean	1										7.8	7.8	8.5	7.8	7.6	6.8	7.2	8.6	7.2	7.4	7.4
	O3	4th Max	1	0.086	0.1	0.08	0.08	0.09	0.1	0.08	0.1	0.1	0.093	0.08	0.1	0.1	0.08	0.07	0.1	0.071	0.08	0.07	0.07
Racine, WI	O3	4th Max	1	0.093	0.09	0.08	0.1	0.08	0.1	0.08	0.1	0.1	0.108	0.09	0.1	0.1	0.09	0.08	0.08	0.078	0.08	0.08	0.07
	PM25	Weighted Annual Mean	1										15.7	16	14	14	13.7	13.3	12.8	12.3	13.1	11.4	9.2
	PM10	2nd Max	2	89	139	106	90.5	82	81	74.5	79.5	72	72.5	74.5	67	72	71	55	57.5	66	70.5	65.5	54.5
	PM25	Weighted Annual Mean	1										8.8	8.8	7.8	7.4	7.2	7.4	7.2	7.4	7.4	6.7	5.9
Reading, PA	Pb	rqmax	2	0.47	0.49	0.34	0.37	0.48	0.4	0.49	0.32	0.3	0.27	0.29	0.3	0.2	0.28	0.32	0.3	0.27	0.25	0.23	0.18
	PM10	2nd Max	1	63	71	62	61	63	56	49	52	67	75	44	67	58	46	55	40	66	50	95	46
	O3	4th Max	1	0.078	0.07	0.07	0.06	0.08	0.1	0.07	0.07	0.1	0.084	0.07	0.1	0.1	0.07	0.07	0.07	0.074	0.08	0.08	0.06
	PM10	2nd Max	1	59	74	58	50	54	47	34	40	48	75	38	44	50	31	40	28	46	33	113	31
Reno-Sparks, NV	PM25	Weighted Annual Mean	1										12.9	11	9.2	11	7.5	7.2	7.3	8.7	5.6	14.7	5.8
	CO	2nd Max	5	7	7.5	5.9	5	6	4.4	5.2	5	4.7	5.4	3.6	3.7	3.4	2.8	2.9	2.6	2.5	2.4	1.9	2
	O3	4th Max	4	0.074	0.07	0.07	0.06	0.07	0.1	0.07	0.07	0.1	0.071	0.07	0.1	0.1	0.07	0.07	0.07	0.073	0.07	0.07	0.06
	PM10	2nd Max	4	139.8	113	89.3	91.8	91	65	76	77.8	75	77.3	74.5	84	68	65.3	64.3	75.8	73.8	76	75.5	70.3
Richmond, IN	PM25	Weighted Annual Mean	1										9.9	8.9	10	9.1	7.3	8.1	9	7.6	8	10.2	7.9
	SO2	Annual Mean	2	0.015	0.02	0.02	0.02	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0	0.01	0	0.004	0	0	0
	O3	4th Max	3	0.083	0.09	0.08	0.1	0.08	0.1	0.08	0.1	0.1	0.095	0.08	0.1	0.1	0.08	0.08	0.08	0.081	0.08	0.08	0.06
	PM10	2nd Max	1	50	62	41	50	43	46	56	51	48	45	40	36	40	36	41	46	44	36	35	27
Richmond, VA	PM25	Weighted Annual Mean	4										14.3	14.6	13	13	13.2	12.9	13.6	12.7	12.5	10.7	9
	SO2	Annual Mean	1	0.006	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.005	0.01	0	0	0	0	0	0.004	0	0	0
	PM25	Weighted Annual Mean	1										15.1	15.4	14	14	12.9	13	15.2	12.3	13.3	10.4	9.7
	CO	2nd Max	5	5	6.1	4.2	4.1	4.2	4.1	3.5	3.6	3.3	3	2.9	2.5	2.3	2.5	1.9	1.7	1.6	1.6	1.4	1.3
Riverside-San Bernardino-Ontario, CA	NO2	Annual Mean	5	0.034	0.03	0.03	0.03	0.04	0	0.03	0.03	0	0.031	0.03	0	0	0.03	0.02	0.02	0.023	0.02	0.02	0.02
	O3	4th Max	13	0.146	0.15	0.14	0.14	0.14	0.1	0.13	0.11	0.1	0.103	0.1	0.1	0.1	0.12	0.1	0.1	0.105	0.1	0.1	0.1
	PM10	2nd Max	10	150.2	121	83.8	86.8	84.2	102	86.7	87	76	80.3	86.6	92	79	99.2	71.5	72.8	81.2	112	69.7	61.5
	PM25	Weighted Annual Mean	8										21.1	20.1	21	21	18.4	17	15.2	14.7	15	12.3	11.7
Riverton, WY	Pb	rqmax	4	0.06	0.06	0.04	0.04	0.04	0	0.04	0.04	0.1	0.05	0.05	0	0	0.04	0.04	0.02	0.01	0.02	0.01	0.01
	SO2	Annual Mean	2	0.001	0	0	0	0	0	0	0	0	0.002	0	0	0	0	0	0	0.002	0	0	0
	PM10	2nd Max	1	87	98	90	75	75	50	29	36	50	42	49	43	57	50	50	51	47	39	47	47
	NO2	Annual Mean	1	0.013	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.012	0.01	0	0	0.01	0.01	0.01	0.012	0.01	0.01	0.01
Roanoke, VA	O3	4th Max	1	0.075	0.08	0.07	0.08	0.08	0.1	0.07	0.08	0.1	0.089	0.08	0.1	0.1	0.08	0.07	0.08	0.076	0.08	0.07	0.06
	PM10	2nd Max	1	74	62	72	77.5	83	88	78	95	64	64	66	52	60	64	70	66	57	58	61	63
	PM25	Weighted Annual Mean	1										14.9	16.1	15	14	13.5	13.5	15.1	14.2	14.2	12	12
	SO2	Annual Mean	1	0.004	0	0	0	0	0	0	0	0	0.003	0	0	0	0	0	0	0.002	0	0	0
Rochester, MN	PM25	Weighted Annual Mean	1										11.8	11.8	12	10	10.1	8.9	11.3	10.8	10.3	10.1	9.6
	O3	4th Max	1	0.087	0.1	0.08	0.08	0.08	0.1	0.07	0.09	0.1	0.089	0.07	0.1	0.1	0.08	0.07	0.07	0.064	0.08	0.07	0.06
	PM10	2nd Max	9	45.3	57.3	48.2	35.8	35.3	37	32.6	37	27	32.7	34.6	36	47	36.7	35.9	35.2	37.4	47.6	48	45.3
	CO	2nd Max	1	6.5	5.1	4.6	4.3	4	4.5	3.2	3.7	3.6	3.8	2.9	2.9	2.4	2.4	2.7	2.3	1.9	1.4	1.7	1.9
Rock Springs, WY	O3	4th Max	2	0.068	0.08	0.08	0.06	0.08	0.1	0.08	0.07	0.1	0.08	0.07	0.1	0.1	0.07	0.06	0.08	0.063	0.07	0.07	0.07
	CO	4th Max	1	0.093	0.09	0.09	0.09	0.09	0.1	0.08	0.09	0.1	0.081	0.07	0.1	0.1	0.08	0.07	0.08	0.072	0.08	0.06	0.07
	O3	4th Max	1	0.084	0.09	0.09	0.09	0.09	0.1	0.08	0.09	0.1	0.092	0.09	0.1	0.1	0.09	0.07	0.08	0.074	0.08	0.08	0.07
	PM25	Weighted Annual Mean	1										21.3	17.9	16	15	16.2	15.6	16.6	15.9	16	13	13
Rocky Mount, NC	SO2	Annual Mean	1	0.005	0.01	0	0	0	0	0	0	0	0.003	0	0	0	0	0	0	0.003	0	0	0
	PM25	Weighted Annual Mean	1										7	6.8	6.7	6.7	6.8	6.4	6.6	6.5	6.6	6.1	5.8
	PM25	Weighted Annual Mean	1										14.4	14.4	12	12	11.9	11.4	14.4	12.2	12.8	11.4	10.8
	CO	2nd Max	1	4	4	3.6	3	4.1	4.6	3.6	3.3	2.4	2.3	2.5	2.2	2.3	1.9	1.8	1.8	1.4	1.7	1.8	1.5
Rutland, VT	NO2	Annual Mean	1	0.013	0.01	0.01	0.01	0.02	0	0.01	0.01	0	0.012	0.01	0	0	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	PM10	2nd Max	1	58	58	62	48	64	45	39	49	48	47	42	47	50	47	44	48	33	29	29	32
	PM25	Weighted Annual Mean	1										10.9	11.1	12	12	11.5	11.2	11.8	10.3	10.9	10.6	9.6
	SO2	Annual Mean	1	0.008	0.01	0.01	0.01	0.02	0	0.01	0.												

City Trends

Shreveport-Bossier City, LA	O3	4th Max	2	0.088	0.08	0.08	0.09	0.08	0.1	0.08	0.08	0.1	0.091	0.09	0.1	0.1	0.08	0.07	0.08	0.084	0.07	0.07	0.07
	SO2	Annual Mean	1	0.002	0	0	0	0	0	0	0	0	0.002	0	0	0	0	0	0	0.003	0	0	0
Sierra Vista-Douglas, AZ	O3	4th Max	1	0.069	0.07	0.07	0.07	0.07	0.1	0.07	0.07	0.1	0.072	0.07	0.1	0.1	0.07	0.07	0.07	0.074	0.07	0.07	0.07
	PM10	2nd Max	1	222	154	129	67	77	77	69	74	94	88	57	45	37	45	37	68	64	62	70	46
Silver City, NM	PM10	2nd Max	2	51	49.5	48.5	36	33.5	38	34	42	30	47.5	37.5	41	56	35.5	44	30.5	45.5	31.5	28	32.5
	PM25	Weighted Annual Mean	1										5.6	5.5	5.9	6.5	6.4	5.6	5.8	6.1	5	5.1	5
Sioux City, IA-NE-SD	PM10	2nd Max	1	68	65	86	44	69	61	95	58	55	73	76	70	58	80	64	72	87	65	59	59
	PM25	Weighted Annual Mean	1										9.9	9.5	11	9.6	10.8	9.4	10.6	10.3	10.6	9.8	9.8
Sioux Falls, SD	PM10	2nd Max	1	48	48	48	49	45	53	53	46	52	43	52	62	45	101	42	44	57	42	46	40
	PM25	Weighted Annual Mean	2										10.8	9.3	10	9.1	10.2	9.8	10.3	9.5	9.2	9.1	8.9
Somerset, KY	O3	4th Max	1	0.069	0.07	0.07	0.08	0.08	0.1	0.07	0.07	0.1	0.095	0.09	0.1	0.1	0.08	0.07	0.08	0.064	0.08	0.07	0.06
	O3	4th Max	2	0.086	0.09	0.08	0.08	0.09	0.1	0.09	0.09	0.1	0.087	0.08	0.1	0.1	0.08	0.08	0.08	0.07	0.08	0.07	0.06
South Bend-Mishawaka, IN-MI	PM25	Weighted Annual Mean	1										13.8	13.8	14	14	13.8	12.3	14.8	11.9	12.9	11.3	10.8
	O3	4th Max	1	0.082	0.08	0.08	0.08	0.08	0.1	0.09	0.09	0.1	0.1	0.09	0.1	0.1	0.08	0.08	0.08	0.085	0.08	0.09	0.07
Spartanburg, SC	PM25	Weighted Annual Mean	1										16	15.8	14	13	13.6	14	14.6	14.5	13.5	12	10
	O3	4th Max	1	0.057	0.06	0.06	0.06	0.07	0.1	0.07	0.07	0.1	0.065	0.07	0.1	0.1	0.08	0.07	0.07	0.069	0.06	0.06	0.06
Spokane, WA	PM10	2nd Max	2	161.5	80	188	145	83	68	80	57	65	83	59.5	70	80	68.5	70.5	81	57	38	40	40
	PM25	Weighted Annual Mean	1										10.3	11	10	10	10.1	9.7	10.8	9.2	9.6	9.2	9.2
Springfield, IL	CO	2nd Max	1	4.4	4.3	4.5	3.9	3.1	3.2	3	2.1	1.9	2.4	1.7	2.8	1.5	2	1.2	1.4	1.5	1.4	1.4	1.2
	O3	4th Max	1	0.081	0.08	0.08	0.08	0.08	0.1	0.08	0.07	0.1	0.075	0.08	0.1	0.1	0.08	0.06	0.08	0.066	0.07	0.06	0.06
Springfield, MA	PM25	Weighted Annual Mean	1										15.9	13.4	13	14	13	11.8	15.1	11.7	13	11	10.6
	SO2	Annual Mean	1	0.007	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0	0	0	0.003	0	0	0
Springfield, MO	CO	2nd Max	1	6.4	6.5	6.9	5.5	7.2	7.4	6.5	5.3	4.6	4	4	2.9	3.3	3	3.1	2.6	2.4	1.3	2.5	1.8
	NO2	Annual Mean	2	0.018	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.014	0.02	0	0	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Springfield, MO	O3	4th Max	3	0.092	0.1	0.09	0.09	0.09	0.1	0.08	0.1	0.1	0.089	0.08	0.1	0.1	0.07	0.07	0.09	0.083	0.09	0.08	0.07
	PM25	Weighted Annual Mean	2										12.4	12	13	12	11.6	10.8	11.7	10.1	11	10	8.6
Springfield, MO	SO2	Annual Mean	2	0.007	0.01	0.01	0.01	0.01	0	0.01	0	0	0.005	0	0	0	0	0	0	0.003	0	0	0
	CO	2nd Max	1	7.2	6.9	6.2	5.3	5.9	4.1	3.3	4.6	4	3.1	2.6	2.9	3.3	2	2.4	2.8	2.1	2.1	1.2	1.3
Springfield, OH	NO2	Annual Mean	1	0.008	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.013	0.01	0	0	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	O3	4th Max	1	0.061	0.06	0.07	0.07	0.07	0.1	0.08	0.07	0.1	0.081	0.07	0.1	0.1	0.07	0.06	0.08	0.074	0.08	0.07	0.06
Springfield, OH	PM10	2nd Max	1	42	30	42	34	39	39	38	30	40	34	35	40	43	39	30	44	30	37	34	26
	PM25	Weighted Annual Mean	1										12.2	12.3	12	13	11.7	10.9	13	10.7	11.8	10.7	9.5
Springfield, OH	SO2	Annual Mean	2	0.006	0	0	0.01	0.01	0	0	0	0	0.004	0	0	0	0	0	0	0.003	0	0	0
	O3	4th Max	2	0.093	0.1	0.08	0.08	0.09	0.1	0.1	0.09	0.1	0.092	0.09	0.1	0.1	0.08	0.08	0.08	0.075	0.08	0.08	0.07
St. Cloud, MN	PM25	Weighted Annual Mean	1										14.8	14.8	15	15	14.1	13.5	16.7	13.1	14.6	12.7	12.4
	SO2	Annual Mean	1	0.006	0.01	0	0.01	0.01	0	0	0	0	0.004	0	0	0	0	0	0	0.003	0	0	0
St. Louis, MO-IL	PM25	Weighted Annual Mean	1										10.8	10.8	11	9.2	8.9	8.2	9.3	7.9	8.3	8.9	8.7
	NO2	Annual Mean	3	0.016	0.02	0.02	0.02	0.02	0	0.02	0.02	0	0.018	0.02	0	0	0.01	0.01	0.01	0.013	0.01	0.01	0.01
State College, PA	O3	4th Max	8	0.084	0.09	0.08	0.08	0.09	0.1	0.09	0.09	0.1	0.091	0.08	0.1	0.1	0.08	0.07	0.09	0.078	0.08	0.07	0.07
	PM10	2nd Max	5	73.2	66.2	70.2	63.4	70.6	65	56.6	58.6	68	56.7	59.3	54	56	51.6	54.2	62.8	58.6	55.2	46.6	41
Stockton, CA	PM25	Weighted Annual Mean	11										15.8	15.8	15	15	14.5	13.1	16.1	13.3	14.1	13.1	11.9
	Pb	rqmax	8	0.97	0.84	0.8	0.63	0.8	0.8	0.84	0.59	0.5	0.52	0.61	1.4	0.4	0.23	0.54	0.18	0.2	0.25	0.27	0.15
Tallahassee, FL	SO2	Annual Mean	6	0.009	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.006	0.01	0	0	0	0	0	0.003	0	0	0
	PM25	Weighted Annual Mean	1										13.7	13.7	14	12	13.6	13.3	13.4	11.4	11.9	10.8	9.4
Tampa-St. Petersburg-Clearwater, FL	CO	2nd Max	1	10.9	8.4	5.1	5.1	6.4	4.4	5.3	3.4	5.3	4.5	3.7	3.6	3.2	3	2.3	2.5	2.2	2.1	1.8	2
	NO2	Annual Mean	1	0.026	0.03	0.02	0.02	0.02	0	0.02	0.02	0	0.024	0.02	0	0	0.02	0.02	0.02	0.018	0.02	0.02	0.02
Summerville, GA	O3	4th Max	1	0.083	0.08	0.08	0.08	0.09	0.1	0.08	0.07	0.1	0.085	0.08	0.1	0.1	0.08	0.07	0.07	0.083	0.08	0.08	0.07
	PM10	2nd Max	1	138	134	88	103	93	93	61	72	95	123	86	97	78	63	56	76	80	68	83	57
Syracuse, NY	PM25	Weighted Annual Mean	1										19.7	15.5	14	17	13.6	13.2	12.5	13.1	12.9	14.4	11.3
	PM10	2nd Max	1	52	52	52.3	52.7	53	80	51	52	62	59	53	38	34	43	33	41	49	46	41	33
Tallahassee, FL	CO	2nd Max	1	6.8	8.4	7.5	5.6	6.5	3.3	3.9	4	3	3.1	2.4	2.2	2.1	1.8	1.4	1.9	1.4	1.2	1.4	1.2
	O3	4th Max	2	0.092	0.09	0.08	0.08	0.08	0.1	0.07	0.08	0.1	0.084	0.07	0.1	0.1	0.08	0.07	0.08	0.07	0.08	0.07	0.06
Tallahassee, FL	PM25	Weighted Annual Mean	1										10.9	10.9	11	11	9.8	10	11.5	8.3	8.2	8.2	7.6
	SO2	Annual Mean	1	0.003	0	0	0	0	0	0	0	0	0.002	0	0	0	0	0	0	0.002	0	0	0
Tampa-St. Petersburg-Clearwater, FL	PM25	Weighted Annual Mean	1										20.4	18.2	15	14	15.4	13.9	14.2	14.3	14.3	12.1	11.5
	CO	2nd Max	2	4.5	3.2	3.3	2.4	2.4	3.1	2.5	2.7	3	2.3	2.1	2.3	2.2	1.8	1.5	1.5	1.6	2.1	2.1	2.1
Terre Haute, IN	NO2	Annual Mean	2	0.013	0.01	0.01	0.01	0.01	0	0.01	0.01	0	0.013	0.01	0	0	0.01	0.01	0.01	0.008	0.01	0.01	0.01
	O3	4th Max	7	0.08	0.07	0.07	0.07	0.08	0.1	0.07	0.08	0.1	0.084	0.08	0.1	0.1	0.08	0.07	0.08	0.074	0.08	0.08	0.06
Terre Haute, IN	PM10	2nd Max	5	50.4	51.8	54.6	59	59.2	55</														

